THE CANADIAN ENTOMOLOGIST

Index to Volume 131 (1999)

THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

Abdel-Razek AS, Salama HS, White NDG, Morris ON. Effect of *Bacillus thuringiensis* on feeding and energy use by *Plodia interpunctella* (Lepidoptera: Pyralidae) and *Tribolium castaneum* (Coleoptera: Tenebrionidae), 433
Allen DC. See Asaro and Allen, 729
Alyokhin AV, Ferro DN. Mating ability of Colorado potato beetle (Coleoptera: Chrysomelidae) males fed transgenic potato (Solanaceae) foilage, 539
Archibald B. See Poinar et al., 171
Asaro C, Allen DC. Biology of pine false webworm (Hymenoptera: Pamphilidae) during an outbreak, 729
Banks JE. Differential response of two agroecosystem predators, *Pterostichus melanarius* (Coleoptera: Carabidae) and *Coccinella septempunctata* (Coleoptera: Coccinellidae), to habitat-composition and fragmentation-scale manipulations, 645
Barker PS. See Lamb et al., 387
Barron JR. See Li et al., 399
Bauce É. See Trudel et al., 779
Bennett SM. See West et al., 465
Berger R. See Schafellner et al., 373
Blatt SE, Schindel AM, Harmsen R. Performance of *Trirhabda virgata* (Coleoptera: Chrysomelidae) on three potential hosts, 801
Bogenschütz H. See Morewood et al., 687
Boiteau G, Bousquet Y, Osborn WPL. Vertical and temporal distribution of Coccinellidae (Coleoptera) in flight over an agricultural landscape, 269
Boiteau G, Osborn WPL. Comparison of plastic-lined trenches and extruded plastic traps for controlling *Leptinotarsa decemlineata* (Coleoptera: Chrysomelidae), 567
Borden JH. See Setter and Borden, 251
Bousquet Y. See Boiteau et al., 269
Brailovsky H, Cassis G. Revision of the tribe Agriopocorini (Hemiptera: Coreidae: Coreinae), 293
Brown A. See Poinar et al., 171
Butt GW. See West et al., 465
Cabana J. See Forté et al., 725
See Trudel et al., 779
Cameron EA. See Teulon et al., 629
Carroll AL. Physiological adaptation to temporal variation in conifer foliage by a caterpillar, 659
Carter N. See Hartling et al., 421
Casanave KA. See Pickett et al., 115
Cassis G. See Brailovsky and Cassis, 293
Castonguay J. See Shore et al., 831
Célini L, Vaillant J. Répartition spatio-temporelle des présences d'ailes d'*Aphis gossypii* (Hymenoptera : Aphididae) en culture cotonniere (Malvaceae), 813
Chagnon M. See Therrien et al., 613
Chan CK, Petersen DJ, Vrain TC. DNA fingerprinting of single aphid embryos by random amplified polymorphic DNA polymerase chain reaction (RAPD-PCR), 229
Chau A, Mackauer M. Self-superparasitism in the solitary parasitoid *Monoctonus paulensis* (Hymenoptera: Braconidae, Aphidiinae): proximate mechanisms, 769
Marking the package or its contents: host discrimination and acceptance in the ectoparasitoid *Dendrocerus carpenteri* (Hymenoptera: Megaspilidae), 495
Cisternas E. See Pintureau et al., 53
Cloutier C. See Noronha and Cloutier, 521
Debruyn AMH, Ring RA. Comparative ecology of two species of *Hydroporus* (Coleoptera: Dytiscidae) in a high arctic oasis, 405
Dermutz A. See Schafellner et al., 373
Ding H, Lamb, RJ. Oviposition and larval establishment of *Sitodiplosis mosellana* (Diptera: Cecidomyiidae) on wheat (Gramineae) at different growth stages, 475
Dogterom MH, Winston ML. Pollen storage and foraging by honey bees (Hymenoptera: Apidae) in highbush blueberries (Ericaceae), cultivar Bluecrop, 757
Dosdall LM, McFarlane MA, Palaniswamy P. Biology and larval morphology of *Ceutorhynchus neglectus* (Coleoptera: Curculionidae), a minor pest of canola (Brassicaceae) in western Canada, 231
Dunley J. See Lee et al., 715
Ebling PM, Kaupp WJ. Yield of occlusion bodies from forest tent caterpillar (Lepidoptera: Lasiocampidae) larvae infected with a nuclear polyhedrosis virus, 93
Feldman J. See Stewart et al., 423
Ferguson M. See Shore et al., 831
Ferro DN. See Alyokhin and Ferro, 539

Fidgen LL, Sweeney JD, Quiring DT. Stage-specific survival of *Strobilomyia appalachensis* (Diptera: Anthomyiidae), 483
See Li and Fitzpatrick, 451
Fitzpatrick, SM. See Li et al., 399
Floate K, Khan B, Gibson G. Hymenopterous parasitoids of filth fly (Diptera: Muscidae) pupae in cattle feedlots, 347
Forté AJ, Guertin C, Cabana J. Pathogenicity of a granulovirus towards *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 725
Führer E. See Schafellner et al., 373
Galloway TD. See McKay and Galloway, 743
Gavloski J. See Lamb et al., 387
Gerding M. See Pintureau et al., 53
Gibson G. See Floate et al., 347
Greco CF, Kevan PG. Polyethism in foraging in a polymorphic predator, *Enoplognatha ovata* (Araneae: Theridiidae): a case for balance, 259
Gries G. See McNair et al., 85
See McNair et al., 97
See Morewood et al., 687
Gries R. See McNair et al., 85
Guertin C. See Forté et al., 725
See Trudel et al., 779
Hamilton KGA. The Nearctic leafhopper genus *Auridius*: biology, polymorphism, and new species (Rhynchota: Homoptera: Cicadellidae), 29
Harmsen R. See Blatt et al., 801
Harper F. See Zloty and Harper, 1
Hartling LK, Carter N, Proude J. Spring parasitism of overwintered eggs of *Lambdina fiscellaria fiscellaria* (Lepidoptera: Geometridae) by *Telenomus* near *alsophilae* (Hymenoptera: Scelionidae), 421
Haunerland NH. See Lin et al., 695
Häußler D. See Morewood et al., 687
Hébert C. See Therrien et al., 613
Hébert C, St-Antoine L. Oviposition trap to sample eggs of *Operophtera bruceata* (Lepidoptera: Geometridae) and other wingless geometrid species, 557
Heinz KM. See Pickett et al., 115
Horton DR. See Lee et al., 715
Kanga LHB, Pree DJ, Van Lier JL, Walker GM. Monitoring for resistance to organophosphorus, carbamate, and pyrethroid insecticides in the Oriental fruit moth (Lepidoptera: Tortricidae), 441
Kapitola P. See Morewood et al., 687
Kashefi J. See McClay et al., 541
Kaupp WJ. See Ebling and Kaupp, 93
Kenis M. See West et al., 465
Kevan PG. See Greco and Kevan, 259
See Kevan et al., 279
Kevan SD, Nasr ME, Kevan PG. Feeding menthol to honeybees (Hymenoptera: Apidae): entry and persistence in haemolymph without causing mortality, 279
Khan B. See Floate et al., 347
Krawchuk MA, Taylor PD. Roosting behaviour by *Fletcheromyia fletcheri* (Diptera: Sacophagidae) in *Sarracenia purpuea* (Sarraceniacea), 829
Laidlaw WG. See Prenzel et al., 635
Lamb RJ. See Ding and Lamb, 475
Lamb RJ, Wise IL, Olfert OO, Gavloski J, Barker PS. Distribution and seasonal abundance of *Sitodiplosis mosellana* (Diptera: Cecidomyiidae) in spring wheat, 387
Langor DW, Situ Y-X, Zhang R. Two new species of *Pissodes* (Coleoptera: Curculionidae) from China, 593
Leblanc DA. See Stewart et al., 423
Lee MR. See Lee et al., 715
Lee RE Jr., Litzgus JD, Mugnano JA, Lee MR, Horton DR, Dunley J. Evaluation of ice-nucleating microorganisms for reducing the supercooling capactiy and cold-hardiness of *Cacopsylla pyricola* (Hemiptera: Psyllidae), 715
Li C, Yang P. Revision of the genus *Malaisius* Arrow (Coleoptera: Scarabaeidae: Melolonthinae), 187
Li SY, Fitzpatrick SM. Feeding stimulant added to *Bacillus thuringiensis* based insecticides enhances activity against *Choristoneura rosaceana* (Lepidoptera: Tortricidae), 451
Li SY, Fitzpatrick SM, Troubridge JT, Sharkey MJ, Barron JR, O'Hara JE. Parasitoids reared from the obliquebanded leafroller (Lepidoptera: Tortricidae) infesting raspberries, 399

Li SY, Otvos IS. Differential mortality beween male and female *Choristoneura occidentalis* (Lepidoptera: Tortricidae) larvae exposed to a baculovirus with or without optical brighteners, 65

Lin H, Winston ML, Haunerland NH, Slessor KN. Influence of age and population size on ovarian development, and of trophallaxis on ovarian development and vitellogenin titres of queenless worker honey bee (Hymenoptera: Apidae), 695

Lindquist EE, Wu KW, Redner JH. A new species of the tick genus *Ixodes* (Acari: Ixodidae) parasitic on mustelids (Mammalia: Carnivora) in Canada, 151

Linton DA. See Safranyik and Linton, 107
See Safranyik et al., 671
See Safranyik et al., 825

Liška J. See Morewood et al., 687

Littlefield JL. See McClay et al., 541

Litzgus JD. See Lee et al., 715

Lyons DB. Phenology of the native parasitoid *Sinophorus megalodontis* (Hymenoptera: Ichneumonidae) relative to its introduced host, the pine flase webworm (Hymenoptera: Pamphiliidae), 787

Lyytikäinen-Saarenmaa P. Growth responses of Scots Pine (Pinaceae) to artificial and sawfly (Hymenoptera: Diprionidae) defoliation, 455

Mackauer M. See Chau and Mackauer, 769
See Chow and Mackauer, 495

McKay T, Galloway TD. Survey and release of parasitoids (Hymenoptera) attacking house and stable flies (Diptera: Muscidae) in dairy operations, 743

Marshall SA, Winchester NN. New species in the general *Minilimosina* Roháček and *Phthitia* Enderlein (Diptera: Sphaeroceridae) from ancient Sitka spruce (Pinaceae) forest, 707

Martín-Piera F. See Sanmartín and Martín-Piera, 573

Mattanovich J. See Schafellner et al., 373

McClay AS, Littlefield JL, Kashefi J. Establishment of *Aceria malherbae* (Acari: Eriophyidae) as a biological control agent for field bindweed (Convolvulaceae) in the northern Great Plains, 541

McFarlane MA. See Dosdall et al., 231

McGarvey BD. See Trimble et al., 137

McIntosh RL. Technique for labeling individual *Pissodes strobi* (Coleoptera: Curculionidae) for mark-recapture studies, 131

McNair C, Gries G, Gries R. Sex pheromone components of *Enarmonia formosana* (Lepidoptera: Tortricidae), 85

McNair C, Gries G, Sidney M. Toward pheromone-based mating disruption of *Enarmonia formosana* (Lepidoptera: Tortricidae) on ornamental cherry trees, 97

Mier Durante MP. See Nieto Nafría et al., 283

Möller K. See Morewood et al., 687

Morewood P, Gries G, Häußler D, Möller K, Liška J, Kapitola P, Bogenschütz H. Towards pheromone-based detection of *Lymantria monacha* (Lepidoptera: Lymantriidae) in North America, 687

Morris ON. See Abdel-Razek et al., 433

Mugnano JA. See Lee et al., 715

Nakahara S. See Teulon el al, 629

Nasr ME. See Kevan et al., 279

Nealis VG, Roden PM, Ortiz DA. Natural mortality of the gypsy moth along a gradient of infestation, 507

Nieto Nafría JM, Ortego J, Mier Durante MP. Three new species of *Aphis* (Hemiptera: Aphididae) living on *Mulinum* (Umbelliferae) in South America, 283

Noronha C, Cloutier C. Ground and aerial movement of adult Colorado potato beetle (Coleoptera: Chrysomelidae) in a univoltine population, 521

O'Hara JE. Tachinidae (Diptera) parasitoids of bertha armyworm (Lepidoptera: Noctuidae), 11
See Li et al., 399

Olfert OO. See Lamb et al., 387

Ortego, J. See Nieto Nafría et al., 283

Ortiz DA. See Nealis et al., 507

Osborn WPL. See Boiteau et al., 269
See Boiteau and Osborn, 567

Otvos, IS. See Li and Otvos, 65

Palaniswamy P. See Dosdall et al., 231

Palli SR. See Retnakaran et al., 79

Peck SB. A review of the *Dissochaetus* (Coleoptera: Leiodidae: Cholevinae) of the United States and Canada, 179

New species and records of "small carrion beetles" (Coleoptera: Leiodidae; Cholevinae) from caves and forests of Cuba and Hispaniola, 605

Petersen DJ. See Chan et al., 229

Pickett CH, Casanave KA, Schoenig SE, Heinz KM. Rearing *Delphastus catalinae* (Coleoptera: Coccinellidae): practical experience and a modeling analysis, 115
Pintureau B, Gerding M, Cisternas E. Description of three new species of Trichogrammatidae (Hymenoptera) from Chile, 53
Poinar G Jr, Archibald B, Brown A. New amber deposit provides evidence of early Paleogene extinctions, paleoclimates, and past distributions, 171
Polavarapu S. See Sharp and Polavarapu, 549
Powell GW. See Wikeem et al., 243
Pree DJ. See Kanga et al., 441
Preisler HK. See Sharp et al., 71
Prenzel BG, Laidlaw WG, Wieser H. Within-tree dynamics of mass attack by *Dendroctonus pseudotsugae* (Coleoptera: Scolytidae) on its host, 635
Primavera MJ. See Retnakaran et al., 79
Proude J. See Hartling et al., 421
Quiring DT. See Fidgen et al., 483
Radenković S. See Vujić et al., 203
Redner JH. See Lindquist et al., 151
Retnakaran A, Tomkins WL, Primavera MJ, Palli SR. Feeding behaviour of the first-instar *Choristoneura fumiferana* and *Choristoneura pinus pinus* (Lepidoptera: Tortricidae), 79
Riel WG. See Shore et al., 831
Ring RA. See Debruyn and Ring, 405
Robertson JL. See Sharp et al., 71
Roden PM. See Nealis et al., 507
Safranyik L. See Shore et al., 831
Safranyik L, Linton DA. Spruce beetle (Coleoptera: Scolytidae) survival in stumps and windfall, 107
Safranyik L, Linton DA, Shore TL. Emergence of *Ips pini* and *Hylurgops porosus* (Coleoptera: Scolytidae) from duff at the base of lodgepole pines (Pinaceae) killed by mountain pine beetle (Coleoptera: Scoytidae), 825
Safranyik L, Shore TL, Linton DA. Attack by bark beetles (Coleoptera: Scolytidae) following spacing of mature lodgepole pine (Pinaceae) stands, 671
Salama HS. See Abdel-Razek et al., 433
Salgado JM. A new *Quaestus* Schaufuss 1861 (Coleoptera: Leiodidae: Leptodirinae) from the Cantabrian Mountains (Spain), 211
Sanmartín I, Martín-Piera F. A morphometric approach to the taxonomy of the genus *Ceramida* (Coleoptera: Scarabaeoidea: Melolonthidae), 573
Schafellner C, Berger R, Dermutz A, Führer E, Mattanovich J. Relationship between foliar chemistry and susceptibility of Norway spruce (Pinaceae) to *Pristiphora abietina* (Hymenoptera: Tenthredinidae), 373
Schindel AM. See Blatt et al., 801
Schoenig SE. See Pickett et al., 115
Setter RR, Borden JH. Bioactivity and efficacy of MCOL and seudenol as potential attractive bait components for *Dendroctonus rufipennis* (Coleoptera: Scolytidae), 251
Sharkey MJ. See Li et al., 399
Sharp JL, Polavarapu S. Gamma radiation doses for preventing pupariation and adult emergence of *Rhagoletis mendax* (Diptera: Tephritidae), 549
Sharp JL, Robertson JL, Preisler HK. Mortality of mature third-instar Caribbean fruit fly (Diptera: Tephritidae) exposed to microwave energy, 71
Shore TL. See Safranyik et al., 671
See Safranyik et al., 825
Shore TL, Safranyik L, Riel WG, Ferguson M, Castonguay J. Evaluation of factors affecting tree and stand susceptibility to the Douglas-fir beetle (Coleoptera: Scolytidae), 831
Sidney M. See McNair et al., 97
Šimić S. See Vujić et al., 203
Situ Y-X. See Langor et al., 593
Slessor KN. See Lin et al., 695
Sousa JM. Development of *Tiphodytes gerriphagus* (Hymenoptera: Scelionidae) in *Limnoporus dissortis* eggs (Hemiptera: Gerridae), 219
St-Antoine L. See Hébert and St-Antoine, 557
Stewart JG, Feldman J, Leblanc DA. Resistance of transgenic potatoes to attack by *Epitrix cucumeris* (Coleoptera: Chrysomelidae), 423
Sturko A. See Wikeem et al., 243
Sweeney JD. See Fidgen et al., 483
Taylor PD. See Krawchuk and Taylor, 829

Teulon DAJ, Cameron EA, Nakahara S. Thrips (Thysanoptera) diversity in a sugar maple (Aceraceae) plantation, 629
Therrien F, Chagnon M, Hébert C. Biodiversity of Collembola in sugar maple (Aceraceae) forests, 613
Tomkins WL. See Retnakaran et al., 79
Tourneur J-C. Oogenesis in the adult of the European earwig *Forficula auricularia* (Dermaptera: Forficulidae), 323
Polyploidy and previtellogenic follicular atresia during oogenesis in the European earwig *Forficula auricularia* (Dermaptera: Forficulidae), 335
Trimble RM, Tyndall CA, McGarvey BD. Evaluation of natural rubber sleeve stopper as a controlled-release substrate for use in studies of sex-pheromone-mediated mating disruption of the spotted tentiform leafminer, 137
Troubridge JT. See Li et al., 399
Trudel R, Bauce É, Guertin C, Cabana J. Diapause induction and overwintering stage in the fir coneworm (Lepidoptera: Pyralidae), 779
Tyndall CA. See Trimble et al., 137
Vaillant J. See Célini et Vaillant, 813
Van Lier JL. See Kanga et al., 441
Vrain TC. See Chan et al., 229
Vujić A, Šimić S, Radenković S. Two related species of *Paragus* (Diptera: Syrphidae), one from the Nearctic and one from the Palaearctic, 203
Walker GM. See Kanga et al., 441
West RJ, Kenis M, Butt GW, Bennett SM. Parasitoid complex of *Zeiraphera canadensis* (Lepidoptera: Tortricidae) and evaluation of *Tycherus osculator* (Hymenoptera: Ichneumonidae) as a biological control agent, 465
Westcott LC, Winston ML. Chemical acaricides in *Apis mellifera* (Hymenoptera: Apidae) colonies; do they cause nonlethal effects?, 363
White NDG. See Abdel-Razek et al., 433
Wieser H. See Prenzel et al., 635
Wikeem BM, Powell GW, Sturko A. Biology of *Cyphocleonus achates* (Coleoptera: Curculionidae), propagated for the biological control of knapweeds (Asteraceae), 243
Winchester NN. See Marshall and Winchester, 707
Winston ML. See Dogterom and Winston, 757
See Lin et al., 695
See Westcott and Winston, 363
Wise IL. See Lamb et al., 387
Wu KW. See Lindquist et al., 151
Yang P. See Li and Yang, 187
Zhang R. See Langor et al., 593
Zloty J, Harper F. Two new *Ameletus* mayflies (Ephemeroptera: Ameletidae) from western North America, 1

ERRATUM

Mason PG, Arthur AP, Olfert OO, Erlandson MA. The Bertha armyworm (*Mamestra configurata*) (Lepidoptera: Noctuidae) in western Canada, 282